

DALUENTE 081

IL DILUENTE SINTETICO SD COLOR CONTIENE SOLO MATERIE PRIME TECNICAMENTE PURE. È ESENTE DA PRODOTTI DI RECUPERO O RIGENERATI.

È ideale per la diluizione di smalti oleosintetici e sintetici lungo-olio, applicati sia a pennello che a spruzzo.

CAMPI D'IMPIEGO

Ottimo per la pulizia degli attrezzi utilizzati per la verniciatura con smalti sintetici. Viene inoltre indicato per la rimozione di macchie di vernice fresca da pavimenti, piastrelle ed ogni altra superficie.

APPLICAZIONE

Utilizzare seguendo attentamente le istruzioni e i dosaggi riportati sull'etichetta del vaso contenente il prodotto da diluire.

FORMATI DISPONIBILI | AVAILABLE FORMATS

0,5 - 1 - 5 - 25 |

THE SD COLOR SYNTHETIC THINNER CONTAINS ONLY TECHNICALLY PURE RAW MATERIALS. IT DOES NOT CONTAIN RECYCLED OR REGENERATED PRODUCTS.

It is ideal for diluting oleosynthetic enamels and long oil synthetic enamels, for both brush and spray application.

FIELDS OF USE

Excellent for cleaning tools used for applying synthetic enamels. It is also suitable for removing drops of fresh paint from floors, tiles and any other surface.

APPLICATION

Follow the instructions and keep to the amounts indicated on the label of the container of the product to be diluted.